

Name \_\_\_\_\_ Date \_\_\_\_\_



Step 1 Directions: choose **one** of the counties from table 1 to be the location for your new farm and **circle it**.

Table 1. Farm locations and data: 2015 values are averages, and 2065 values are predicted changes

Circle one county:		MARICOPA CO, AZ	YOLO CO, CA	DONA ANA CO, NM	LYON CO, NV	UTAH CO, UT
<b>TEMPERATURE</b>	2015 (°F)	84.8	74.4	76.2	65.0	58.4
	2065 (°F)	+5.7	+5.0	+7.9	+6.1	+6.6
<b>PRECIPITATION</b>	2015 (in.)	9.94	21.24	10.98	8.97	21.19
	2065 (in.)	+0.17	+0.71	+0.13	+0.64	+1.88
<b>AVG. FARM SIZE (ACRES)</b>		192	456	302	792	139
<b>COMMON CROPS</b>		cotton, alfalfa, wheat, oats, watermelon	tomato, rice, almonds, walnuts, wheat	chile, cotton, pecan, lettuce, onion	onion, potato, alfalfa, squash, wheat	alfalfa, hay, wheat, corn

Weather data source: [swclimatehub.info](http://swclimatehub.info)

Step 2 Directions: customize your new farm by choosing as many, or as few, as you would like of the climate-mitigating adaptations from table 2. **Place a checkmark** under each adaptation that you choose, and **write the cost (points) in the last column** for each selected adaptation.

Table 2. Climate-mitigating adaptations

ADAPTATION	PROS	CONS	COST (POINTS)	CHOSEN COSTS
<b>NO-TILL PLANTING</b> <input type="checkbox"/>	-Reduces costs of labor, equipment, fuel -Reduces soil erosion from water and wind -Retains soil moisture -Increases soil organic matter -Limits soil compaction	-May require more herbicide and fungicide due to higher soil moisture -High upfront cost	<b>15</b>	
<b>HEDGEROWS</b> <input type="checkbox"/>	-Reduce soil erosion from water and wind -Create pollinator habitat -Prevent spread of some insects and fungal diseases	-Require some watering and maintenance -Possibly reduce number of crop rows	<b>5</b>	
<b>WATER CISTERN COLLECTION &amp; STORAGE UNIT</b> <input type="checkbox"/>	-Collects rainfall and/or other water runoff for use when water is scarce	-Requires space -Can take a few years to collect enough water	<b>10</b>	
<b>SOIL MOISTURE MONITORING</b> <input type="checkbox"/>	-Decreases irrigation expenses by eliminating unnecessary watering of crops	-Requires labor to operate equipment	<b>3</b>	
<b>BEEHIVES &amp; FLOWER STRIPS</b> <input type="checkbox"/>	-Reliable pollination of crops -Provide habitat for variety of pollinators	-Requires some maintenance -Unable to use insecticides	<b>5</b>	
<b>TOTAL COST (POINTS)</b>				

**STARTING OUTPUT FACTOR = 100 - \_\_\_\_\_ = \_\_\_\_\_**  
**TOTAL COST**

### FARMS ON THE TABLE GAME DIRECTIONS

- Your goal is to **keep your farm in the black**. Being in the black means that you are making money, and being in the red means that you are losing money.
- Choose **at least two** of the practices and treatments from the table for each year, and write the cost of each selected item in the Chosen Costs column of the table.
- Add up the cost of your practices and treatments, and write the Total Cost at the bottom of the table.
- Roll the die and assign the number rolled to your first selection; write it in the last column of the table. Roll the die again and assign that number to the second checked item, and repeat this for all of the selected items.
- Your instructor will then reveal the weather for the year and whether each of the practices and treatments were positive or negative investments. In the table, assign a plus sign to the die roll numbers of the positive investments and a minus sign to the die roll numbers of the negative investments.
- Add up the positive and negative die roll numbers. Be sure to **pay attention to the sign**.
- Fill in the equation at the bottom of each page, and calculate the Starting Output Factor.

**YEAR 1**

Starting Output Factor (from Page 2): \_\_\_\_\_

Choose **at least two** practices and/or treatments.

PLANTING PRACTICES	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>DROUGHT RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can produce a more reliable yield per acre during periods of prolonged drought, but seeds need to be purchased every year	<b>2</b>			
<b>FLOOD RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can tolerate being submerged for longer periods of time or multiple times per year, but seeds need to be purchased every year	<b>2</b>			
<b>INTERPLANTING</b> <input type="checkbox"/>	Can reduce erosion, spread of pathogens, and need for crop treatments; there is less economic risk in case of a crop fail year	<b>2</b>			
<b>CROP ROTATION</b> <input type="checkbox"/>	Can improve soil health and reduce loss from pathogens due to host plants changing locations from year to year	<b>2</b>			
<b>SPREAD SPACING OF ROWS</b> <input type="checkbox"/>	Lower crop yield/acre, but can reduce the need for crop treatments	<b>2</b>			
CROP TREATMENTS	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>FERTILIZING</b> <input type="checkbox"/>	Can increase rate of growth but depletes soil fertility causing an annual reliance	<b>2</b>			
<b>HERBICIDE</b> <input type="checkbox"/>	Can reduce loss from plant pests but becomes less effective with continual use	<b>2</b>			
<b>INSECTICIDE</b> <input type="checkbox"/>	Can reduce loss from insect pests but will harm natural pollinators; should <b>NOT</b> choose if have beehives & flower strips	<b>2</b>			
<b>FUNGICIDE</b> <input type="checkbox"/>	Can reduce loss from fungal pathogens but needs to be applied before infection to be effective	<b>2</b>			
<b>TOTAL COST (POINTS)</b>				<b>OUTPUT CHANGE TOTAL</b>	

Weather for this year (from instructor): \_\_\_\_\_

$$\frac{\text{Starting Output Factor}}{\text{Starting Output Factor}} - \frac{\text{Total Cost}}{\text{Total Cost}} + \frac{\text{Output Change Total}}{\text{Output Change Total}} + \frac{\text{Farm Adaptation Bonus}}{\text{Farm Adaptation Bonus}} = \frac{\text{New Starting Output Factor}}{\text{New Starting Output Factor}}$$

**YEAR 2**

New Starting Output Factor (from the end of Year 1): \_\_\_\_\_

Choose **at least two** practices and/or treatments.

PLANTING PRACTICES	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>DROUGHT RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can produce a more reliable yield per acre during periods of prolonged drought, but seeds need to be purchased every year	<b>2</b>			
<b>FLOOD RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can tolerate being submerged for longer periods of time or multiple times per year, but seeds need to be purchased every year	<b>2</b>			
<b>INTERPLANTING</b> <input type="checkbox"/>	Can reduce erosion, spread of pathogens, and need for crop treatments; there is less economic risk in case of a crop fail year	<b>2</b>			
<b>CROP ROTATION</b> <input type="checkbox"/>	Can improve soil health and reduce loss from pathogens due to host plants changing locations from year to year	<b>2</b>			
<b>SPREAD SPACING OF ROWS</b> <input type="checkbox"/>	Lower crop yield/acre, but can reduce the need for crop treatments	<b>2</b>			
CROP TREATMENTS	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>FERTILIZING</b> <input type="checkbox"/>	Can increase rate of growth but depletes soil fertility causing an annual reliance	<b>2</b>			
<b>HERBICIDE</b> <input type="checkbox"/>	Can reduce loss from plant pests but becomes less effective with continual use	<b>2</b>			
<b>INSECTICIDE</b> <input type="checkbox"/>	Can reduce loss from insect pests but will harm natural pollinators; should <b>NOT</b> choose if have beehives & flower strips	<b>2</b>			
<b>FUNGICIDE</b> <input type="checkbox"/>	Can reduce loss from fungal pathogens but needs to be applied before infection to be effective	<b>2</b>			
<b>TOTAL COST (POINTS)</b>				<b>OUTPUT CHANGE TOTAL</b>	

Weather for this year (from instructor): \_\_\_\_\_

$$\frac{\text{Starting Output Factor}}{\text{Starting Output Factor}} - \frac{\text{Total Cost}}{\text{Total Cost}} + \frac{\text{Output Change Total}}{\text{Output Change Total}} + \frac{\text{Farm Adaptation Bonus}}{\text{Farm Adaptation Bonus}} = \frac{\text{New Starting Output Factor}}{\text{New Starting Output Factor}}$$

**YEAR 3**

New Starting Output Factor (from the end of Year 2): \_\_\_\_\_

Choose **at least two** practices and/or treatments.

PLANTING PRACTICES	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>DROUGHT RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can produce a more reliable yield per acre during periods of prolonged drought, but seeds need to be purchased every year	<b>2</b>			
<b>FLOOD RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can tolerate being submerged for longer periods of time or multiple times per year, but seeds need to be purchased every year	<b>2</b>			
<b>INTERPLANTING</b> <input type="checkbox"/>	Can reduce erosion, spread of pathogens, and need for crop treatments; there is less economic risk in case of a crop fail year	<b>2</b>			
<b>CROP ROTATION</b> <input type="checkbox"/>	Can improve soil health and reduce loss from pathogens due to host plants changing locations from year to year	<b>2</b>			
<b>SPREAD SPACING OF ROWS</b> <input type="checkbox"/>	Lower crop yield/acre, but can reduce the need for crop treatments	<b>2</b>			
CROP TREATMENTS	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>FERTILIZING</b> <input type="checkbox"/>	Can increase rate of growth but depletes soil fertility causing an annual reliance	<b>2</b>			
<b>HERBICIDE</b> <input type="checkbox"/>	Can reduce loss from plant pests but becomes less effective with continual use	<b>2</b>			
<b>INSECTICIDE</b> <input type="checkbox"/>	Can reduce loss from insect pests but will harm natural pollinators; should <b>NOT</b> choose if have beehives & flower strips	<b>2</b>			
<b>FUNGICIDE</b> <input type="checkbox"/>	Can reduce loss from fungal pathogens but needs to be applied before infection to be effective	<b>2</b>			
<b>TOTAL COST (POINTS)</b>				<b>OUTPUT CHANGE TOTAL</b>	

Weather for this year (from instructor): \_\_\_\_\_

$$\begin{array}{ccccccc}
 \underline{\hspace{2cm}} & - & \underline{\hspace{2cm}} & + & \underline{\hspace{2cm}} & + & \underline{\hspace{2cm}} & + & \underline{\hspace{2cm}} & = & \underline{\hspace{2cm}} \\
 \text{Starting Output} & & \text{Total Cost} & & \text{Output Change} & & \text{Farm Adaptation} & & \text{Subsidy Bonus} & & \text{New Starting} \\
 \text{Factor} & & & & \text{Total} & & \text{Bonus} & & & & \text{Output Factor}
 \end{array}$$

**YEAR 4**

New Starting Output Factor (from the end of Year 3): \_\_\_\_\_

Choose **at least two** practices and/or treatments.

PLANTING PRACTICES	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>DROUGHT RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can produce a more reliable yield per acre during periods of prolonged drought, but seeds need to be purchased every year	<b>2</b>			
<b>FLOOD RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can tolerate being submerged for longer periods of time or multiple times per year, but seeds need to be purchased every year	<b>2</b>			
<b>INTERPLANTING</b> <input type="checkbox"/>	Can reduce erosion, spread of pathogens, and need for crop treatments; there is less economic risk in case of a crop fail year	<b>2</b>			
<b>CROP ROTATION</b> <input type="checkbox"/>	Can improve soil health and reduce loss from pathogens due to host plants changing locations from year to year	<b>2</b>			
<b>SPREAD SPACING OF ROWS</b> <input type="checkbox"/>	Lower crop yield/acre, but can reduce the need for crop treatments	<b>2</b>			
CROP TREATMENTS	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>FERTILIZING</b> <input type="checkbox"/>	Can increase rate of growth but depletes soil fertility causing an annual reliance	<b>2</b>			
<b>HERBICIDE</b> <input type="checkbox"/>	Can reduce loss from plant pests but becomes less effective with continual use	<b>2</b>			
<b>INSECTICIDE</b> <input type="checkbox"/>	Can reduce loss from insect pests but will harm natural pollinators; should <b>NOT</b> choose if have beehives & flower strips	<b>2</b>			
<b>FUNGICIDE</b> <input type="checkbox"/>	Can reduce loss from fungal pathogens but needs to be applied before infection to be effective	<b>2</b>			
<b>TOTAL COST (POINTS)</b>				<b>OUTPUT CHANGE TOTAL</b>	

Weather for this year (from instructor): \_\_\_\_\_

$$\frac{\text{Starting Output Factor}}{\text{Starting Output Factor}} - \frac{\text{Total Cost}}{\text{Total Cost}} + \frac{\text{Output Change Total}}{\text{Output Change Total}} + \frac{\text{Farm Adaptation Bonus}}{\text{Farm Adaptation Bonus}} = \frac{\text{New Starting Output Factor}}{\text{New Starting Output Factor}}$$

**YEAR 5**

New Starting Output Factor (from the end of Year 4): \_\_\_\_\_

Choose **at least two** practices and/or treatments.

PLANTING PRACTICES	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>DROUGHT RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can produce a more reliable yield per acre during periods of prolonged drought, but seeds need to be purchased every year	<b>2</b>			
<b>FLOOD RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can tolerate being submerged for longer periods of time or multiple times per year, but seeds need to be purchased every year	<b>2</b>			
<b>INTERPLANTING</b> <input type="checkbox"/>	Can reduce erosion, spread of pathogens, and need for crop treatments; there is less economic risk in case of a crop fail year	<b>2</b>			
<b>CROP ROTATION</b> <input type="checkbox"/>	Can improve soil health and reduce loss from pathogens due to host plants changing locations from year to year	<b>2</b>			
<b>SPREAD SPACING OF ROWS</b> <input type="checkbox"/>	Lower crop yield/acre, but can reduce the need for crop treatments	<b>2</b>			
CROP TREATMENTS	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>FERTILIZING</b> <input type="checkbox"/>	Can increase rate of growth but depletes soil fertility causing an annual reliance	<b>2</b>			
<b>HERBICIDE</b> <input type="checkbox"/>	Can reduce loss from plant pests but becomes less effective with continual use	<b>2</b>			
<b>INSECTICIDE</b> <input type="checkbox"/>	Can reduce loss from insect pests but will harm natural pollinators; should <b>NOT</b> choose if have beehives & flower strips	<b>2</b>			
<b>FUNGICIDE</b> <input type="checkbox"/>	Can reduce loss from fungal pathogens but needs to be applied before infection to be effective	<b>2</b>			
<b>TOTAL COST (POINTS)</b>				<b>OUTPUT CHANGE TOTAL</b>	

Weather for this year (from instructor): \_\_\_\_\_

$$\frac{\text{Starting Output Factor}}{\text{Starting Output Factor}} - \frac{\text{Total Cost}}{\text{Total Cost}} + \frac{\text{Output Change Total}}{\text{Output Change Total}} + \frac{\text{Farm Adaptation Bonus}}{\text{Farm Adaptation Bonus}} = \frac{\text{New Starting Output Factor}}{\text{New Starting Output Factor}}$$

## YEAR 6

New Starting Output Factor (from the end of Year 5): \_\_\_\_\_

Choose **at least two** practices and/or treatments.

PLANTING PRACTICES	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>DROUGHT RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can produce a more reliable yield per acre during periods of prolonged drought, but seeds need to be purchased every year	<b>2</b>			
<b>FLOOD RESISTANT CROP VARIETY</b> <input type="checkbox"/>	Can tolerate being submerged for longer periods of time or multiple times per year, but seeds need to be purchased every year	<b>2</b>			
<b>INTERPLANTING</b> <input type="checkbox"/>	Can reduce erosion, spread of pathogens, and need for crop treatments; there is less economic risk in case of a crop fail year	<b>2</b>			
<b>CROP ROTATION</b> <input type="checkbox"/>	Can improve soil health and reduce loss from pathogens due to host plants changing locations from year to year	<b>2</b>			
<b>SPREAD SPACING OF ROWS</b> <input type="checkbox"/>	Lower crop yield/acre, but can reduce the need for crop treatments	<b>2</b>			
CROP TREATMENTS	DESCRIPTION	COST (POINTS)	CHOSEN COSTS	+ / -	DIE ROLL
<b>FERTILIZING</b> <input type="checkbox"/>	Can increase rate of growth but depletes soil fertility causing an annual reliance	<b>2</b>			
<b>HERBICIDE</b> <input type="checkbox"/>	Can reduce loss from plant pests but becomes less effective with continual use	<b>2</b>			
<b>INSECTICIDE</b> <input type="checkbox"/>	Can reduce loss from insect pests but will harm natural pollinators; should <b>NOT</b> choose if have beehives & flower strips	<b>2</b>			
<b>FUNGICIDE</b> <input type="checkbox"/>	Can reduce loss from fungal pathogens but needs to be applied before infection to be effective	<b>2</b>			
<b>TOTAL COST (POINTS)</b>				<b>OUTPUT CHANGE TOTAL</b>	

Weather for this year (from instructor): \_\_\_\_\_

$$\begin{array}{ccccccc}
 \underline{\hspace{2cm}} & - & \underline{\hspace{2cm}} & + & \underline{\hspace{2cm}} & + & \underline{\hspace{2cm}} & + & \underline{\hspace{2cm}} & = & \underline{\hspace{2cm}} \\
 \text{Starting Output} & & \text{Total Cost} & & \text{Output Change} & & \text{Farm Adaptation} & & \text{Subsidy Bonus} & & \text{New Starting} \\
 \text{Factor} & & & & \text{Total} & & \text{Bonus} & & & & \text{Output Factor}
 \end{array}$$



## RESULTS AND CONCLUSIONS

1. How many years were you able to keep your farm in the black? Did you end the game in the red or in the black?
2. Were there certain practices or treatments that seemed to be a positive investment more than others? Were there certain practices or treatments that seemed to be a negative investment more than others? Why do you think that is the case?
3. If you were to play this game again, what would you do differently? Why?